

Newborn Screening ACT Sheet

[Elevated C14:1 +/- other long-chain Acylcarnitines]

Very Long-Chain Acyl-CoA Dehydrogenase (VLCAD) Deficiency

Differential Diagnosis: Very long-chain acyl-CoA dehydrogenase (VLCAD) deficiency.

Condition Description: VLCAD deficiency is a fatty acid oxidation (FAO) disorder. Fatty acid oxidation occurs during prolonged fasting and/or periods of increased energy demands (fever, stress), when energy production relies increasingly on fat metabolism. In a FAO disorder, fatty acids and potentially toxic derivatives accumulate because of a deficiency in one of the mitochondrial FAO enzymes.

YOU SHOULD TAKE THE FOLLOWING ACTIONS:

- Contact family to inform them of the newborn screening result and ascertain clinical status (poor feeding, vomiting, lethargy).
- Consult with pediatric metabolic specialist.
- Evaluate the newborn (poor feeding, lethargy, hypotonia, hepatomegaly, arrhythmia, evidence of cardiac decompensation). If signs are present or infant is ill, initiate emergency treatment with IV glucose and oxygen. Transport to hospital for further treatment in consultation with metabolic specialist. If infant is normal initiate timely confirmatory/diagnostic testing, as recommended by specialist.
- Educate family about need for infant to avoid fasting. If the infant becomes even mildly ill (poor feeding, vomiting, or lethargy), immediate treatment with IV glucose is needed.
- Report findings to newborn screening program.

Diagnostic Evaluation: Plasma acylcarnitine profile may show increased C14:1 acylcarnitine (and lesser elevations of other long chain acylcarnitines). Diagnosis is confirmed in consultation with the metabolic specialist by mutation analysis of the VLCAD gene and additional biochemical genetic tests.

Clinical Considerations: VLCAD deficiency may present acutely in the neonate and is associated with high mortality unless treated promptly; milder variants exist. Features of severe VLCAD deficiency in infancy include hepatomegaly, cardiomyopathy and arrhythmias, lethargy, hypoketotic hypoglycemia, and failure to thrive. Treatment is available.

Additional Information:

[New England Consortium of Metabolic Programs](#)
[Genetics Home Reference](#)

Referral (local, state, regional and national):

[Testing](#)
[Clinical Services](#)
[Find Genetic Services](#)

Disclaimer: This guideline is designed primarily as an educational resource for clinicians to help them provide quality medical care. It should not be considered inclusive of all proper procedures and tests or exclusive of other procedures and tests that are reasonably directed to obtaining the same results. Adherence to this guideline does not necessarily ensure a successful medical outcome. In determining the propriety of any specific procedure or test, the clinician should apply his or her own professional judgment to the specific clinical circumstances presented by the individual patient or specimen. Clinicians are encouraged to document the reasons for the use of a particular procedure or test, whether or not it is in conformance with this guideline. Clinicians also are advised to take notice of the date this guideline was adopted, and to consider other medical and scientific information that become available after that date.

© American College of Medical Genetics and Genomics, 2012 (Funded in part through MCHB/HRSA/HHS grant #U22MC03957)

LOCAL RESOURCES: Insert State newborn screening program web site links

State Resource site (insert state newborn screening program website information)

Name	<input type="text"/>
URL	<input type="text"/>
Comments	<input type="text"/>

Local Resource Site (insert local and regional newborn screening website information)

Name	<input type="text"/>
URL	<input type="text"/>
Comments	<input type="text"/>

APPENDIX: Resources with Full URL Addresses

Additional Information:

New England Consortium of Metabolic Programs

<http://newenglandconsortium.org/for-professionals/acute-illness-protocols/fatty-acid-oxidation-disorders/very-long-chain-acyl-coa-dehydrogenase-deficiency-vlcadd/>

Genetics Home Reference

<http://ghr.nlm.nih.gov/condition=verylongchainacylcoenzymeadehydrogenasedeficiency>

Referral (local, state, regional and national):

Testing

http://www.ncbi.nlm.nih.gov/sites/GeneTests/lab/clinical_disease_id/3179?db=genetests&country=United%20States

Clinical Services

<http://www.ncbi.nlm.nih.gov/sites/genetests/clinic?db=genetests>

Find Genetic Services

<http://www.acmg.net/GIS/Disclaimer.aspx>

Disclaimer: This guideline is designed primarily as an educational resource for clinicians to help them provide quality medical care. It should not be considered inclusive of all proper procedures and tests or exclusive of other procedures and tests that are reasonably directed to obtaining the same results. Adherence to this guideline does not necessarily ensure a successful medical outcome. In determining the propriety of any specific procedure or test, the clinician should apply his or her own professional judgment to the specific clinical circumstances presented by the individual patient or specimen. Clinicians are encouraged to document the reasons for the use of a particular procedure or test, whether or not it is in conformance with this guideline. Clinicians also are advised to take notice of the date this guideline was adopted, and to consider other medical and scientific information that become available after that date.

© American College of Medical Genetics and Genomics, 2012 (Funded in part through MCHB/HRSA/HHS grant #U22MC03957)